

Bottom line: Epilepsy is a chronic brain disease that is characterized by an enduring predisposition to recurrent unprovoked epileptic seizures. A pathogenic/likely pathogenic variant in a single gene can be identified in about 30% of epilepsy cases. Genetic testing should be considered when: epilepsy is accompanied by dysmorphic features, intellectual disability, autism and/or cognitive regression; epilepsy is drug-refractory; epilepsy with multiple neurological co-morbidities; or there is a positive family history. Consultation with an epileptologist and/or a clinical or biochemical geneticist may be warranted. Genetic testing may provide a specific diagnosis for the individual with epilepsy and may end the diagnostic odyssey. This may help to guide management, provide information on prognosis and more accurate recurrence risk counselling, and provide prenatal testing options. Importantly, a molecular diagnosis may bring closure for the family and help them to network with support groups.

What is epilepsy?

Epilepsy is the second most common neurological condition. It is a chronic brain disease that is characterized by an enduring predisposition to recurrent unprovoked epileptic seizures. Epilepsy is diagnosed when an individual has: 1) $\geq$ two unprovoked or reflex seizures (seizures that are consistently induced by a specific stimulus or trigger) more than 24 hours apart, 2) one unprovoked or reflex seizure and a high probability of having another seizure (e.g. a child with Sturge-Weber syndrome presenting with a first seizure) or 3) a recognizable epilepsy syndrome (e.g. an individual with a characteristic history and clinical presentation plus EEG findings consistent with a condition such as West syndrome).

What do I need to know about the genetics of epilepsy?

Epilepsy is best described as a group of conditions. Not all epilepsies are genetic in origin. Most commonly, a complex combination of genetic and non-genetic factors leads to a seizure disorder (i.e. multifactorial inheritance). Twins and first-degree relatives of an affected individual do have an increased risk for epilepsy. A genetic contribution is estimated to be present in up to 70% of affected individuals. Only a fraction (~30%) of epilepsies can be attributed to a pathogenic/likely pathogenic variant in a single gene.

Certain types of epilepsy have a high likelihood of a genetic etiology. These include:


- Developmental and/or Epileptic encephalopathies (e.g. Dravet syndrome)
- Progressive myoclonic epilepsies (e.g. Lafora disease)
- Epilepsies associated with malformations of cortical development (e.g. Tuberous Sclerosis complex)
- Suspected inborn errors of metabolism (e.g. urea cycle disorders)
- Familial focal epilepsies (e.g. autosomal dominant sleep-related hypermotor epilepsy)
- Epilepsy with associated multiple co-morbidities/unusual features/organ anomalies

How is epilepsy usually evaluated?

A detailed clinical evaluation is the first step. The electroencephalogram [EEG] is universally used as a diagnostic measure in epilepsy. Investigations like video-EEG and brain MRI are usually indicated where the etiology is uncertain, the seizures focal or prolonged, or the affected individual is refractory to antiepileptic drugs. The figure



below outlines clinical assessment and investigations of an individual with epilepsy including when to consider a genetic etiology:





How do I order genetic testing?

Genetic testing is generally offered and ordered by a geneticist, neurologist or a specialist with expertise in neurogenetic conditions.

In Ontario, genetic testing guidance for neurogenetic conditions have been published by the [Provincial Genetics Program](#).

Where do I refer my patient?

If the epilepsy is *uncontrolled*, referral to, or consultation with, a Comprehensive Epilepsy Centre/Program/ District or Regional Epilepsy Centre is recommended.

Alberta (& Northwest Territories) - See [Alberta's Referral Directory](#)

Atlantic Canada - [QEII Health Sciences Centre Epilepsy Program](#)

British Columbia (& Yukon)

- [Vancouver General Hospital Epilepsy Program](#)
- BC Children's Hospital [Neurological Care Centre](#)

Newfoundland and Labrador - [Health Sciences Centre Neurology/Epilepsy Services](#)

Ontario (& Nunavut) – [Comprehensive Epilepsy Programs](#)

Quebec

- [The Neuro \(Montreal Neurological Institute-Hospital\)](#) (McGill)
- [CHUM Epilepsy Clinique](#)
- [CHU La clinique d'épilepsie](#)

If epilepsy is *well controlled*, and there are dysmorphic features, consider referral to a clinical geneticist. Find the contact information for [your local genetics centre here](#). If you have questions, you can always reach out to your local genetic centre and speak with a genetic counsellor or geneticist. Many provinces have [eConsult](#) where you can connect with a specialist. For the most meaningful appointment and appropriate triaging, it is important to include any previous investigations and consultation notes (e.g. genetic test results, psychological assessments, brain imaging) along with your referral.

If there is developmental regression or other clinical features suggestive of an inborn error of metabolism, consultation with a biochemical geneticist or a physician with training in inherited metabolic disorders is strongly recommended.

For community support and research opportunities for the affected person and their family, see [Canadian Epilepsy Alliance](#).


What do the genetic test results mean?

The available genetic testing methods have variable reported yields in selected patient populations with epilepsy, for example, genomic microarray (yield 3-10%), targeted gene panels (yield 10-48.5%), whole exome sequencing (yield 11-72%) and whole genome sequencing (yield 38-48%).

Possible results:

A **positive result** means a pathogenic/likely pathogenic (P/LP) in a gene(s) known to be associated epilepsy have been identified. This confirms a genetic condition. This result may have significant implications for treatment considerations, surveillance, further management and counselling of specific recurrence risks. Important considerations when interpreting genetic test results are [variable expressivity](#) and [incomplete penetrance](#).

A **negative result** means that no genetic variants of clinical significance were identified in any of the genes analysed. This does not rule out the possibility of a genetic contribution to an individual's clinical presentation. Additional epilepsy phenotyping and/or re-selection of appropriate genetic test or panel may be warranted.



A **variant of unknown significance (VUS)** means a variant in a gene where the significance is not yet known was identified. The laboratory cannot confidently determine if the gene variant identified is pathogenic or benign as available evidence is insufficient or conflicting. No changes to screening or medical management are indicated. Generally, an individual would be encouraged to re-contact their genetics provider in 2-5 years for updates on re-classification of the VUS they carry. Re-classification of a VUS could mean the variant is now determined to be pathogenic or benign.

A secondary finding: Genetic testing may identify a P/LP variant in a gene unrelated to the primary indication for testing. For example, genetic testing ordered because of suspicion of a neurogenetic condition and then testing identifies a P/LP variant in a gene associated with hereditary breast cancer. These results often still have significant health implications for the individual and their relatives.

What are the benefits of genetic consultation [with or without genetic testing]?

Genetic testing may provide a specific diagnosis and may end the diagnostic odyssey. Further benefits may include:

Targeted treatment: Sometimes, the results of genetic testing may influence the ongoing treatment of seizures. For example, individuals with *GLUT1* deficiency syndrome benefit from a ketogenic diet, avoidance of sodium channel blockers will help in Dravet syndrome, and there are various vitamin-responsive epilepsies.

Appropriate surveillance: Depending on the gene and the expected inheritance, 'at risk' family members can be screened for the same genetic variant.

Information on natural history: Once a genetic diagnosis is obtained, a more specific prognosis, with regard to epilepsy and other neurological co-morbidities, can be explained to the affected person or their parents. Focused systemic surveillance measures may be initiated. For example, a diagnosis of Tuberous Sclerosis will lead to recommendations for periodic surveillance for brain, kidney, and heart tumours.

Recurrence risk counselling can be more accurate once the gene involved and the mode of inheritance are known. Options for prenatal diagnosis in future pregnancies may be discussed. In the absence of a molecular diagnosis, recurrence risk counselling based solely on empiric risks can be provided to at-risk individuals (e.g. a first degree relative of the affected person).

A genetic diagnosis may also help the family to network with [support groups and research collaborations](#).

Genetic consultation may also be valuable even in absence of genetic testing. It may provide the affected person/family more information about the disease under consideration, short- and long-term psychosocial support, and help to formulate future goals and facilitate family communication.

See the comprehensive [GECKO Deep dive](#) more further details on limitations of genetic testing, Surveillance and Management, Resources and References

Authors: P Jain MD, DM, D Dyment MD, FRCPC, O.C Snead III MD, FRCPC

Edited by the GECKO team: S Morrison MS CGC, JE Allanson MD FRCPC FCCMG, and JC Carroll MD CCFP

GECKO on the run is for educational purposes only and should not be used as a substitute for clinical judgement. GECKO aims to aid the practicing clinician by providing informed opinions regarding genetic services that have been developed in a rigorous and evidence-based manner. Physicians must use their own clinical judgment in addition to published articles and the information presented herein. GECKO assumes no responsibility or liability resulting from the use of information contained herein.